FOOD CRAFT INSTITUTE DEOGHAR

HEAVY KITCHEN EQUIPMENTS

S. NO.	Particular Approximate Specification	Qty.	Specification	Sample Picture	Please write make / model/ Brand
1	High pressure cooking range (with 3 HP Burner)Low height 26"	2	Top 16 SWG304 AISI SS Reinforcement: 100x50 mm SS 18 SWG channel . 3 Burners with pilot (Three M22 and M 35) The unit to be mounted on SS bullet adjustable feet. External size: 24 x 72 x 26 inch		
2	1 High Pressure Funnel Burner Range	1	Top 16 SWG304 AISI SS Reinforcement: 100x50 mm SS 18 SWG channel . 1 Burners with pilot (Three M22 and M 35) The unit to be mounted on SS bullet adjustable feet., External size: 24 x 24 x 33 inch		
3	High Pressure Burner Range	3	Top 16 SWG304 AISI SS Reinforcement: 100x50 mm SS 18 SWG channel . 1 Burners with pilot (Three M22 and M 35) The unit to be mounted on SS bullet adjustable feet., External size: 24 x 24 x 26 inch		
4	Deep fat Fryer Commercial	1	2 Fryer container Stainless Steel ss 304, Power 2 k/w, Electric, Capacity 10+10 Ltr, weight appox 23 to 25 kg, Standard Reputed brand/manufacture's make.		
5	Pulveriser	1	SS with 1 HP Motor (100% Copper wiring, 2880 RPM, Single Phase), 12-14 Kg per Hour with Four Blade ,Standard Reputed brand/manufacture's make		

6	Bulk cooker (Bratt pan) 80 to 100 Ltr. Capacity	1	Stainless steel 80 to 100 Ltrs., 3 phase for bulk use in hostel & mess, electrical make, to be ISO certified, metarial 12 SWG SS 304, it should be provided with the lid of 18 swg ss 304, mounted on stainless steel legs of minimum 16 swg, Voltage -440 V,Standard Reputed brand/manufacture's make	
7	Wet Masala Grinder (Tilting type): Capacity – 10 kg.	1	i. Stainless steel body 16 swg 304. ii. Vertical motor inside of 2 HP iii. Capacity - 10kg iv. Stone grinder for south indian food. Standard Reputed brand/manufacture's make	
8	Potato Peeler	1	Potato peller , power 0.5 to 1 HP , Body Stainless steel 304, capacity- (heavy duty 10-15 Kg),frequency 50hz, total weight- 55-65 kg appox.,Duration per batch 4 to 5 minutes.Standard Reputed brand/manufacture's make.	
9	Food processer Machine (06 attachment)	1	Net Weight (Kg) 22 Width (mm) 523 Depth (mm) 316 Height (mm) 489 Packing Width (mm) 575 Packing Depth (mm) 385 Packing Height (mm) 520 Power 240V; 2000W; 10A outlet required POWERFUL AND DURABLE DIE-CAST CONSTRUCTION,Standard Reputed brand/manufacture's make.	
10	Meat Mincer	1	Stainless steel, 0.5 hp, voltage 220 V,Power source electric, power rating 580 wtt, rattating speed 190 RPM,Capacity minimum 10 - 20kg /hr, product weight approx. 15 kg	
11	Chapatti plate cum puffer, Gas	1	Chapati Puffer that is used to make chapatt is in bulk quantity. Simple operation, Strong design with 03 burner of 70000 BTU V type burner with seperate pilot and control. Make puffed chapatis efficiently for bulk requirements. Machine polished mild steel plate with specially designed mild steel plate puffer for puffing and stainless steel top panels. plate size 16MM thick, Legs 16 swg ss 38MM Size: 1200mm x 600mm x 850mm (Gas Model)	1111
12	Stock Pot Burner	2	Top 16 SWG304 AISI SS Reinforcement: 100x50 mm SS 18 SWG channel . 1 Burners with pilot (Three M22 and M 35) The unit to be mounted on SS bullet adjustable feet., External size: 24 x 24 x 26 inch	

13	Dough Kneader	1	Stainless Steel bowl (25 Kg) Dimension: 44" x 25" x 41" Motor: 1.5HP Time: 7 mins Weght: 120 - 150kg	
14	SS Charcoal Tandoor	1	Top: 16 swg 304 AISI SS Dimension Length: 30" Breadth: 30" Height: 34" Four Wheels	
15	SS Gas Tandoor	1	Top: 16 swg 304 AISI SS LPG HP Burner Dimension Length: 30" Breadth: 30" Height: 34" Four Wheels	
16	Sink with drain board	4	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Waste coupling to be provided iv. Rear side 100 mm high splash guard. v. Under frame work made of 38x38x3 mm thick stainless steel, 304, angle welded vi. Sink complete with waste outlate with drain valve and rear connected overflow vii. Brass/SS Tap with conneciton pipe. Single self with 6 inch ground clearance of 18 swg. S.S Size 48" x 24" x 33	
17	Working table with splash guard	7	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Rear side 100 mm high splash guard . iv. Under frame work made of 38x38x3 mm thick stainless steel, 304, angle welded Single self with 6 inch ground clearance of 18 swg. S.S Dimension Length: 48" Breadth: 30" Height: 34"	
18	Dish landing table with garge trash hole	1	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Rear side 100 mm high splash guard . iv. Under frame work made of 38x38x3 mm thick stainless steel, 304 , angle welded Single self with 6 inch ground clearance of 18 swg. S.S Dimension Length: 48" Breadth: 30" Height: 34"	
19	Masala rack/Wall Self	1	S.S 304 top of 16 swg Dimension Length :36" Breadth:18" 3 layer with 1ft gap With installation	

20	Collapsible wire mesh steel bins / SS Storage bin	1	SS, Dimension Length: 48" Breadth: 30" Height: 34" Four Wheels	
21	Barbeque Sigri E Rod (Skewer)	1	SS Dimension Length: 36" Breadth: 18" Height: 34" Skewer - 6 mm - 8pcs with wooden handle	
22	Busing trolley	1	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. Four Wheels iv. Under frame work made of 38x38x3 mm thick stainless steel, 304, angle welded 3 shelfs with 6 inch ground clearance of 18 swg. S.S Dimension Length: 24" Breadth: 18" Height: 34"	
23	Dosa Tawa		Simple operation, Strong design, S.S 304 body of 16 swg. for bulk requirements. Size: 1200mm x 600mm x 850mm (Gas Model), 4 burners, with wheels, Plate thickness 10mm, weight-70kg	
24	Idly Steamer	1	Material : SS 304 10 Tray with 100 - 120 idly capacity Electric single phase 220V	

25	Refregerator (1000 Ltr.) Cum Deep Freezer Four Door	4	Technical Specifications Volume: Freezer: 500 Liters Chiller: 500 Liters Dimensions (with 90mm leg): minimum 1200 (W) x 818 (D) x 2050 (H) Power Supply: 230V AC / 50Hz Power Consumption: 1000 - 1200Watts Temperature Control: Freezer: -7°C to -25°C Chiller: -2°C to 12°C Door / Shelf: 8 nos. of shelves Note: Input voltage should be ± 6% Operation condition 5°C to 43°CFrost-Free Refrigerators: Premium Refrigerators with auto-defrost function to prevent ice build-up AESTHETIC SOFT LOOK DESIGN, CASTOR WHEELS FOR EASY MOBILITY, ENVIRONMENT FRIENDLY CFC FREE INSULATION, DOOR LOCK FOR RESTRICTED ACCESSABILITY, USED FOR STORING ICE CREAM AND FROZEN FOOD, UV GRADE PLASTIC MATERIAL FOR LONG-LASTING APPEARANCE, 4 year warranty on product ,Standard Reputed brand/manufacture's make.	
26	Rack SS storage	2	S.S 304 top of 16 swg Dimension Length :36" Breadth:18" height 60" 5 layer with 1ft gap	
27	SS Utensils Rack Perforated Rack	2	S.S 304 Under frame work made of 38x38x3 mm thick stainless steel, 304, angle welded Dimension Length :48" Breadth:18" height 60" 5 layer with 1ft gap	
28	Tandoor Support Table		Dimension Dimension Length: 36" Breadth: 30" Height: 34" (including 7" ground clearances) Back Splash: 6" Top 16 SWG 304 AISI S S sheet Shelves & draw 18 SWG S S sheet Under frame work M.S Angles with cross bracing supports for the shelves. Upright 37 mm dia SS pipes. Only 304 AISI SS should be used. The unit to be mounted SS bullet type adjustable legs.	

29	Work Table With Sink On The Left Hand Side (in Inch)	6	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Waste coupling to be provided iv. Rear side 100 mm high splash guard. v. Under frame work made of 38x38x3 mm thick stainless steel, 202, angle welded vi. Sink complete with waste outlate with drain valve and rear connected overflow vii. Hole above the tank for water tap. viii. Brass/SS Tap with conneciton pipe. Single self with 6 inch ground clearance of 18 swg. S.S (LxBxH):-60x30x34+6(Splash guard) Pot size: 450x450x300 mm	
30	Work Table With Sink On The Right Hand Side (in Inch)	6	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Waste coupling to be provided iv. Rear side 100 mm high splash guard. v. Under frame work made of 38x38x3 mm thick stainless steel, 202, angle welded vi. Sink complete with waste outlate with drain valve and rear connected overflow vii. Hole above the tank for water tap. viii. Brass/SS Tap with conneciton pipe. Single self with 6 inch ground clearance of 18 swg. S.S (LxBxH):-60x30x34+6(Splash guard) Pot size: 450x450x300 mm	
31	Work Table Overhead Shelves	12	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Rear side 100 mm high splash guard . iv. Under frame work made of 38x38x3 mm thick stainless steel, 304 , angle welded Two layer overhead self with square pipe. Single self with 6 inch ground clearance of 18 swg. S.S Dimension Length: 48" Breadth: 30" Height: 34"	
32	Demo Table	1	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Rear side 100 mm high splash guard . iv. Under frame work made of 38x38x3 mm thick stainless steel, 304 , angle welded Mirror at the top Size 48' x 30" (4ft above the table top with angle adjustment) Single self with 6 inch ground clearance of 18 swg. S.S Dimension Length: 48" Breadth: 30" Height: 34"	
33	Cooking Range (4 Burner) (2LP & MP)	12	Top 16 SWG304 AISI SS Reinforcement: 100x50 mm SS 18 SWG channel . 4 Burners with pilot The unit to be mounted on SS bullet adjustable feet., External size: 30 x 24 x 33 inch	
	1	1		

34	Salamander	1	Dimension Length: 30" Breadth: 18" Height: 18" (Wall Mounted) Sheet metal 18 SWG 304 AISI SS. Double wall insulation with puf or suitable material. SS slots for keeping the rack. SS racks with wooden or Bakelite handles. The unit to be provided with keeping element and thermostat control switches. Electrical rating 3 KW, Standard Reputed brand/manufacture's make.	
35	Wet Masala Grinder 3 KG CAPACITY		i. Stainless steel body 14 swg. ii. Vertical motor inside of 2 HP Stone grinder for south indian food. Standard Reputed brand/manufacture's make	
36	Oven (HD) 2 Deck oven	1	2 deck electric Oven with steam, Tray Size: 24" x 18" (2 Tray per deck) CHAMBER: Heavy duty mild steel with high heat aluminum paint and lighting BODY: SS grade with adequate insulation, Dimesion-1355x960x1255 mm FRONT DOOR: SS with glass view look & heat proof door handle. • Fully counterbalanced door which can stop in any position • Heavy Duty Caster Wheel with Two lockable and Two Non lockable With Steam Funtion for moisture control. Load: 13 - 15 KW, 380V, Weight -150- 160kg, Standard Reputed brand/manufacture's make.	
37	Griddle Plate		Dimension Length: 36" Breadth: 20" (Table Top Model) Under shelves SS pipes. Front panel 18 SWG SS sheet. Three sides – 300 mm wide panel 20 swg SS sheet. Under frame work MS angles. 20 mm cooking plates, 15 mm high splash guards.	
38	S.S Rack		S.S 304 top of 16 swg Dimension Length :36" Breadth:18" height 60" 5 layer with 1ft gap	

Γ

39	Oven Support Table	1	Dimension Length: 45" Breadth: 30" Height: 34" (including 7" ground clearances) Back Splash: 6" Top 16 SWG 304 AISI S S sheet Shelves & draw 18 SWG S S sheet Under frame work M.S Angles with cross bracing supports for the shelves. Upright 37 mm dia SS pipes. Only 304 AISI SS should be used. The unit to be mounted SS bullet type adjustable legs.	
40	1400 Ltr(Chiller)	1	Volume: 1400 - 1500L Door Type: 3 door with Hinge Shelves: 15 Power:1500W Temperature range (in °C): 2°C ~ 8°C Electricals: 220V/50Hz/1Ph Refrigerant: Non CFC Standard Reputed brand/manufacture's make.	
41	SS Work Table with left sink :	4	i. S.S 304 top of 16 swg. With curved corner and no crevasses iii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Waste coupling to be provided iv. Rear side 100 mm high splash guard . v. Under frame work made of 38x38x3 mm thick stainless steel, 202, angle welded vi. Sink complete with waste outlate with drain valve and rear connected overflow vii. Hole above the tank for water tap. Single self with 6 inch ground clearance of 18 swg. S.S (LxBxH):-60x30x34+6(Splash guard) Pot size: 450x450x300 mm	
42	Demonstration table	1	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Rear side 100 mm high splash guard . iv. Under frame work made of 38x38x3 mm thick stainless steel, 304 , angle welded Mirror at the top Size 48' x 30" (4ft above the table top with angle adjustment) Single self with 6 inch ground clearance of 18 swg. S.S Dimension Length: 48" Breadth: 30" Height: 34"	
43	Ice cube machine	1	Ice Cube Machine capacity 2.2 Kg to 2.5 Kg, Refrigerant, R44A Ratted capacity - 30 kg per 24hr, Cube size Gourmet - 20gm, Standard Reputed brand/manufacture's make.	(COLUMN 100000)

44	Special equipment cabinet cupboard ss	2	S.S 304 top of 16 swg. With curved corner and no crevasses S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 Under frame work made of $38x38x3$ mm thick stainless steel, 202 , angle welded SS Storage Rack with door Five layer with 1ft gap Dimension: $36" \times 18" \times 60"$	41	
45	Gas range with 4 burner LP	1	Top 16 SWG304 AISI SS Reinforcement: 100x50 mm SS 18 SWG channel . 4 Burners with pilot With one overhead shelf. The unit to be mounted on SS bullet adjustable feet., External size: 30 x 24 x 33 inch		
46	Deep Fat Fryer	1	2 Fryer container Stainless Steel ss 304, Power 2 k/w, Electric, Capacity 5+5 Ltr, Standard Reputed brand/manufacture's make.		
47	SS Work Table 36 X 36 Inch with granite top	10	SS Work table 36 x 36 Inch (With 15 mm granite top with drawer and cabinet) With one under shelf at 7"height and another under shelf at 19'height height One draw in the centre with the handle of draw flushed in. Shelves and Draw;18 SWG S.S. Sheet Under frame work of M.S. angles with cross bracing support for the shelves Upright 37mm dia pipes The unit to be mounted on SS bullet adjustable feet		
48	Oven (HD) 3 Deck oven, 3 deck oven SS Body	1	Electric 3 deck oven with steam, Tray Size: 24" x 18" (2 Tray per deck) CHAMBER: Heavy duty mild steel with high heat aluminum paint and lighting BODY: SS grade with adequate insulation, Dimension-1220x780x1620 mm FRONT DOOR: SS with glass view look & heat proof door handle. Fully counterbalanced door which can stop in any position Heavy Duty Caster Wheel with Two lockable and Two Non lockable With Steam Funtion for moisture control. Load: 20 - 25 KW, 380V, Weight- 175-190kg, Standard Reputed brand/manufacture's make.		

49	Combi Oven (10 Tray)	1	Combi oven 3 phase Electric 10-12 trays GN 1/1 Hinge on the left side 9.5" Touch control panel Voltage: 400-415V 3N~ / 220-240V 3~ Dimension 900 x 835 x 1055 Weight 190 - 200kg Tempeture range - 30 - 250/300 Max wattage: 18.4KW Special feature - Combi wash, Temp probe Drainge outlet Suitable to run and clean with any liquid (No mandatory to use company precribed chemical/cleaning agent) 4 year complete warranty, Touch screen, Standard Reputed brand/manufacture's make.	The state of the s	
50	Planetary Mixture 30 Kg	1	Bowl Volume: 30 ltrs. Power: 1.5 kW Max Kneading Capacity: 7 kgs. Mixing Speed (rpm): 462/317/197 Dimensions (W x D x H) in mm: 620 x 520 x 890 Electricals: 220V/50 Hz./ 1 Ph Weight: 70 - 80Kg		
51	Planetary Mixture Table Top Model (5 Lit)	1	Bowl Volume: 5 ltrs. Power: 1.5 kW Max Kneading Capacity: 1 - 2 kgs. Mixing Speed (rpm): 462/317/197 Dimensions (W x D x H) in mm: 620 x 520 x 890 Electricals: 220V/50 Hz./ 1 Ph Weight: 20 -25 Kg, Reputed brand		
52	Proofing Cabinet With Humidity Control	1	Number of tray - 13 Humidity control range - 30-100 %RH power - 2kw weight - 65 - 70kg Electric, Reputed brand		
53	Bread Slicing Machine Table Top	1	Number of slice - 30 -35 Thickness - 12mm power - 0.25-0.5 KW Weight - 50- 55 kg, Reputed brand		

54	Deep Chest Freezer 500Ltr	1	Gross Volume (Litres): 500 - 530 Temperature Range: +2°C -20°C Power (w): 300 - 350 Refrigerant:Non CFC Lock: Yes No. of Lids / Doors: 2 No. of Baskets: 2 Wheels / Castors: yes, Reputed brand	
55	Demo Table With Two U/S	2	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Rear side 100 mm high splash guard . iv. Under frame work made of 38x38x3 mm thick stainless steel, 304 , angle welded Double self with 6 inch ground clearance of 18 swg. S.S Dimension Length: 48" Breadth: 30" Height: 34"	
56	S.S. Cooling Racks	2	Tray Size : 48" x 18" 20 tray capacity BODY : Under frame work made of 38x38x3 mm thick stainless steel, 304 , angle welded	
57	SS Sink With Drain Board	3	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Waste coupling to be provided iv. Rear side 100 mm high splash guard . v. Under frame work made of 38x38x3 mm thick stainless steel, 304, angle welded vi. Sink complete with waste outlate with drain valve and rear connected overflow vii. Brass/SS Tap with conneciton pipe. Single self with 6 inch ground clearance of 18 swg. S.S Size: 24" x 24" x 33"	
58	Working Table With Splash Guard		i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Rear side 100 mm high splash guard . iv. Under frame work made of 38x38x3 mm thick stainless steel, 304 , angle welded Single self with 6 inch ground clearance of 18 swg. S.S Dimension Length: 48" Breadth: 30" Height: 34"	

59	Work Table With Sink On The Left Hand Side	1	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Waste coupling to be provided iv. Rear side 100 mm high splash guard . v. Under frame work made of 38x38x3 mm thick stainless steel, 202, angle welded vi. Sink complete with waste outlate with drain valve and rear connected overflow vii. Hole above the tank for water tap. viii. Brass/SS Tap with conneciton pipe. Single self with 6 inch ground clearance of 18 swg. S.S (LxBxH):-60x30x34+6(Splash guard) Pot size: 450x450x300 mm	
60	Dough sheeter Floor model	1	Floor model, Power : 0.55 - 0.75KW Convyer belt size - 500 x 2000mm Maximum rolling weight 5kg, Reputed brand	
61	Food pick up trolley		i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. Four Wheels iv. Under frame work made of 38x38x3 mm thick stainless steel, 304, angle welded 3 shelfs with 6 inch ground clearance of 18 swg. S.S Dimension Length: 24" Breadth: 18" Height: 34"	
62	Plate warmer	1	1. SS 304, 18 swg 2. Caster wheels with breaks 3. Gc=6" 4. Auto temperature Control 5. Cover on top Specification mm: LxWxH:450x450x940 Power:0.8kw, 220v	
63	Gueridon trolly	1	1. Flambé trolley with table top recessed drawers 2. Side condiment shelf 3. Swivel Castors 4. Single burner 5. Liquor stand 6. Shelf for stacking crockery	
64	Three sink unit	1	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Waste coupling to be provided iv. Rear side 100 mm high splash guard. v. Under frame work made of 38x38x3 mm thick stainless steel, 304, angle welded vi. Sink complete with waste outlate with drain valve and rear connected overflow vii. Brass/SS Tap with conneciton pipe. Single self with 6 inch ground clearance of 18 swg. S.S Size: 72" x 24" x 33"	

Chafing dish silver Induction based full set	12	Brass colour 6 Single,3 Double,3 round compartments		
Service Counter (Bain Marie Hot) with 5 Dishes Compt	2	heating power adjustable from 30 degree cel. To 100 degree cel., 03 pan 10 ltt each, 02		
Student Cafeteria Table With Foldable Stool,		thickness (2.5 feet Radius /5 feet Diameter) complete body stainless steel 302 with		
Pulveriser	1	2 in 1 SS with 1 HP Motor (100% Copper wiring, 2880 RPM, Single Phase), 12-14 Kg per Hour with Four Bleeds		
Dish Landing Table	2	ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Rear side 100 mm high splash guard . iv. Under frame work made of 38x38x3 mm thick stainless steel, 304 , angle welded Single self with 6 inch ground clearance of 18 swg. S.S		
Three Sink Unit		ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Waste coupling to be provided iv. Rear side 100 mm high splash guard. v. Under frame work made of 38x38x3 mm thick stainless steel, 304, angle welded vi. Sink complete with waste outlate with drain valve and rear connected overflow vii. Brass/SS Tap with conneciton pipe.	Three Sink Unit	
	Service Counter (Bain Marie Hot) with 5 Dishes Compt Student Cafeteria Table With Foldable Stool, Pulveriser Dish Landing Table	Service Counter (Bain Marie Hot) with 5 Dishes Compt 2 Student Cafeteria Table With Foldable Stool, 10 Pulveriser 1 Dish Landing Table 2 Three Sink Unit 1	Service Counter (Bain Marie Hot) with 5 Dishes Compt 2 Stainless steed 304 top of 16 swg, commercial bain marie, electric, number of shelves 05, benting power adjustable from 30 degree cel. To 100 degree cel., 103 pan 10 lit each, 02 pan 05 fr each, weight 60 to 65 KG. Power consumption 2000 wart Student Cafeteria Table With Foldable Strool, 10 Seating capacity for 6 person per table. Round shape with marble top 16mm to 18 mm thickness (2.5 feet Radius 65 feet Diameter) complete body strinless steel 302 with foldable seats. Weight 80 TO 100 KG Pulveriser 1 2 in 1 SS with 1 HP Motor (100% Copper wiring, 2880 RPM, Single Phase), 12-14 Kg per Hour with Four Illects 2 in 1 SS Jay top of 16 swg. With adjustable roylor blut fact. OC 105 iv. Under frame were with selection of 18 swg. SS. Dimension Length: 48" Beauth: 30" Height: 34" Three Sink Unit 1 times Sink Unit 1 west complete bedy strinless steel, 304, angle welded via fire who are the complete steel, 304, angle welded via fire well on the provided in the second of 18 way. St. Sink Sink Sink Sink Sink Sink Sink Sink	Service Counter (Bain Marie Hat) with 5 Diches Compt 2 Stailars and 304 top of 16 vory, commercial bain matter, electric, number of dultron 65. Nearing power adjustable from 50 degree cell. 10 to degree cell. 00 pas 10 ft each, 07 pm 65 hr each, weight 60 to 65 KG. Power consumption 2000 watt. 3 Stating capacity for 6 person per table. Round shape with mattribe top 16 mm to 18 mm foliables seed. Not pass 10 ft each, 10 ft foliable Secol. 4 Stating capacity for 6 person per table. Round shape with matribe top 16 mm to 18 mm foliables seed. Not pass 10 ft foliable Secol. Notice of the Round Secole Secol

71	Working Table(Angle iron and wooden Top) 6ftx2.5ft (HOUSEKEEPING)	6	6 x 2.5 Ft Multi-Purpose Folding Ply Laminated Top Table with Metal Frame Base for Computer, Banquet, Office, Home Engineered Wood Study Table (Free Standing, Finish Color - Brown & Black, Pre-assembled)	
72	Drying rack Heavy Duty (demonstration) (HOUSEKEEPING)	1	4ft x 1.5ft x 6ft (2layer) Under frame work made of 38x38x3 mm thick stainless steel, 304 , angle welded	Among the control forming the control of the contro
73	One sink unit with drain board (HOUSEKEEPING)	1	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Waste coupling to be provided iv. Rear side 100 mm high splash guard . v. Under frame work made of 38x38x3 mm thick stainless steel, 202, angle welded vi. Sink complete with waste outlate with drain valve and rear connected overflow vii. Hole above the tank for water tap. prass/SS Tap with conneciton pipe. Single self with 6 inch ground clearance of 18 swg. S.S (LxBxH):-60x30x34+6(Splash guard) Pot size: 450x450x300 mm	
74	Storage Trolley 3 ft x2 ft x 33" (HOUSEKEEPING)	1	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. Four Wheels iv. Under frame work made of 38x38x3 mm thick stainless steel, 304, angle welded 3 shelfs with 6 inch ground clearance of 18 swg. S.S Dimension Length: 24" Breadth: 18" Height: 34"	
75	01. Work table 4ft x 2.5 ft (HOUSEKEEPING FLORIST ROOM)	1	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Under frame work made of 38x38x3 mm thick stainless steel, 304, angle welded Single self with 6 inch ground clearance of 18 swg. S.S Dimension Length: 48" Breadth: 30" Height: 34"	

76	Sinks (stainless steel with drain board)(Laundry)	2	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Waste coupling to be provided iv. Rear side 100 mm high splash guard . v. Under frame work made of 38x38x3 mm thick stainless steel, 202, angle welded vi. Sink complete with waste outlate with drain valve and rear connected overflow vii. Hole above the tank for water tap. Brass/SS Tap with conneciton pipe. Single self with 6 inch ground clearance of 18 swg. S.S (LxBxH):-48 x24 x34+6(Splash guard) Pot size : 450x450x300 mm	
77	Deep SS Sink mobile (Laundry)	2	i. S.S 304 top of 16 swg. With curved corner and no crevasses ii. S.S legs of 16 swg. With adjustable nylon bullet feet. GC 105 iii. Waste coupling to be provided iv. Rear side 100 mm high splash guard. v. Under frame work made of 38x38x3 mm thick stainless steel, 304, angle welded vi. Sink complete with waste outlate with drain valve and rear connected overflow vii. Brass/SS Tap with conneciton pipe. Single self with 6 inch ground clearance of 18 swg. S.S Size: 24" x 24" x 33"	
78	Gas with Burner	1	Domestic gas burner with 3 burner, with glass top, reputed brand	
79	Tea Um		SS polished 10ltr heavy gauge, weight 4 kg, Dispenser Urn Container with Stand and Gel Based SS Bottom Container for Re-Heating Purposes Ideal for Heavy Duty Use in Cafes, Hotels, Restaurants, Catering,	
80	Gas Bank Pipe line and exhaust/Fresh air ducting canopy hoods for kitchens	1	GAIL certified, Gas bank pipe length approx - 900 rft 25 cylinder gas bank, all connection with regulator, manifold, hose and key to all equipment fitment Exhaust duct length - 2500 sqft approx SS hood with filter - 50ft 2 powerfull exhaust fan - 7.5 HP 2 Coexcel fan for fresh air 18 inch - 1 HP (As per site visit survey and visit, SITC)	
81	Aluminum ladder long 7 feet	1	7 ft 14 Steps 102 kg Load Capacity Aluminium, Weight 8 to 10 KG	
82	Aluminum ladder long 22 ft	1	22 Ft 16 Steps Aluminium, Load capacity 150 kg,weight-21 to 22 kg	
Note:				

1. A three phase connection need to be installed by the successful bidder for all the items required 3 phase mentioned in BoQ.

2. All fabrication product must be in SS304 and equipment in also SS 304 or company provided grade of SS. All sinks to be attached with Brass/SS Tap with conneciton pi

2. An labrication product must be in 35504 and equipment in also 35 504 of company provided grade of 35. An sinks to be attached with brass/55 1 ap with connection pr	1
3. Heavy kitchen equipment common brand - Butler, Trufrost, Rational, Celfrost, Western, Hoshizaki, Unox, Cold Star.	

	SMALL KITCHEN EQUIPMENTS						
S. NO.	Particular Approximate Specification	Qty.	Specification	Sample Picture	Please write make / model/ Brand		
83	Aluminum Bhagona/Patila	4	Aluminum(thick sandwich bottom) 18" dia with Lid, weight- 5 kg Min				
84	Aluminum Bhagona/Patila	3	Aluminum (thick sandwich bottom)20" dia with Lid, Weight- 7kg Min				
85	Aluminum Bhagona/Patila	3	Aluminum(thick andwich bottom)24" dia with Lid, Weight-10kg Min				
86	Aluminum Bhagona/Patila	2	(thick sandwich bottom)28" dia Lid, Weight- 16kg Min				
87	Kadai	2	18"dia, Weight- 4.250kg Min cast iron				

88	Kadai	2	24"diaWeight- 6.5kg Min Cast Iron	
89	Kadai	1	26"dia Weight- 9 kg Min Cast Iron	
90	Khurpi	3	24" length including wooden handle SS high quality stainless steel 304 heavy gauge	
91	Khurpi	1	42" length SS-high quality stainless steel 304 heavy gauge	
92	Ladle (small) SS	3	1Ergonomically constructed using high quality stainless steel 304 heavy gauge having wooden handle for Bulk Kitchen, 2MM thikness, 14x 2.5inch, weight-300gm 2Food Grade 3Dish washer Safe 4Features a hole on the handle to hang 5Smooth and sturdy construction, will last for many years to come.	

93	Ladle (Medium) SS	3	1Ergonomically constructed using high quality stainless steel 304 heavy gauge having wooden handle for Bulk Kitchen, 2MM thikness, 16x3 inch weight-400gm 2Food Grade 3Dish washer Safe 4Features a hole on the handle to hang 5Smooth and sturdy construction, will last for many years to come.	
94	Ladle (Large) SS	3	1Ergonomically constructed using high quality stainless steel 304 heavy gauge having wooden handle for Bulk Kitchen, 2MM thikness, 19x4.5 inch, weight-450gm 2Food Grade 3Dish washer Safe 4Features a hole on the handle to hang 5Smooth and sturdy construction, will last for many years to come.	
95	Perforated spoon Jharne	2	Material Stainless Steel 304 heavy gauge, 2mm thikness,(5 inch dia) ColourSilver	
96	Perforated spoon Jharne	1	Material Stainless Steel 304 heavy gauge,2mm thikness,(7 inch dia) ColourSilver	
97	Perforated spoon Jharne		MaterialStainless Steel 304 heavy gauge, 2mm thikness,(9 inch dia) ColourSilver	

98	Colander (Large SS)	1	Stainless Steel Colander/Strainer 3500ml,15 kg Dimension (Cm): 26 x 26 x 11 Weight: 0.400 Kgs Capacity: 3500 ml Finishing: Inside & Outside Mirror Finish	
99	Colander (small SS)	2	Stainless Steel Colander/Strainer 2750ml ,10kg Dimension (Cm): 10L x 10W x 10H Centimeters Weight: 0.280 Kgs Capacity: 2750 ml Finishing: Inside & Outside Mirror Finish	
100	SS tray Food Pan	8	SS tray Food Pan 20"12"4, Weight- 500gm Min	
101	SS/Patila	2	(thick sandwich bottom), 20" dia with Lid, weight- 8 kg Min, Heay duty 3-ply Encapusulated Construction high quality stainless steel 304 heavy gauge 2. Mirror / Satin Finish 3. Heavy duty Handle 4. Folded Handle 5. Non-Stick Fry Pan Riveted Handles	
102	SS Stock-pot with lid heavy sandwich bottom (medium)14Lt	1	Heay duty 3-ply Encapusulated Construction high quality stainless steel 304 heavy gauge Mirror / Satin Finish Heavy duty Handle Folded Handle Non-Stick Fry Pan Riveted Handles Capacity: 14ltr.	

103	SS/Patila	2	1.(thick sandwich bottom) 24" dia with Lid, weight- 11 kg Min- Min, Heay duty 3-ply Encapusulated Construction high quality stainless steel 304 heavy gauge 2. Mirror / Satin Finish 3. Heavy duty Handle 4. Folded Handle 5. Non-Stick Fry Pan Riveted Handle	
104	SS Stock-pot with lid heavy sandwich bottom (large)20Lt-	1	1. Heay duty 3-ply Encapusulated Construction high quality stainless steel 304 heavy gauge 2. Mirror / Satin Finish 3. Heavy duty Handle 4. Folded Handle 5. Non-Stick Fry Pan Riveted Handles 6. Capacity: 20tr.	
105	professional Knives all purpose	1	Set of 5 Knifes- 8" Chef knife, 8" Slicing knife, 8" Serrated bread knife, 3.5" Paring knife, Carving Knife, and Black hard wood Knife Block with built-in Knife Sharpener. High Carbon Stainless Steel blade edge serrated 3. total weight 2kg	
106	Cleavers S.S.	3	High quality blade made from high carbon St Steel AISI 420J2 grade. blade to be 5.0 mm thick, Handle Length 165mm	
107	Chopping- Board	9	Thick and Heavy weight 2.5kg min(synthetic), 17.5x11.5, Red-1, Green-1, Blue-1, Yellow-1 and White-5	

108	SS Airtight Masala Containers ½ kg	24	Material: Made from Heavy Gauge & High Grade stainless steel 304 heavy gauge, Life time rust free, Strong, Durable, Valuable & Dishwasher Safe Quality: Mirror fine finish, Airtight Lids which keeps content fresh for long time, Light Weight, Easy to clean & wash Capacity 500 ml. – Diameter 8.50 cm & Height 10.50 cm, Air tight Lid	
109	Tongs Roti Chimta Big with Jali MS	2	Dimention: Length:12 ,width:0.9 ,Hieght:1.5 Inches weight: 200gm	
110	Tandoor skewers MS	12	steel round tandoor skewers with stopper are perfect for perfectly cooked, evenly grilled dishes. 39" in length and 6 mm thick,	
111	Balloon whisk Big SS	1	Stainless steel whisks are perfect for frosting or other thick batters with sphericle centre and are made of heavy gauge wire Silicone non-slip grip gives stability while whipping 11 inch whisk	
112	Meat thermometer	1	1. Fast read meat thermometer features a 5-6 seconds response time and high accuracy of ±1 °F/°C. Temperature Range -58°F ~ +572°F(-50°C ~ 300°C). °F/°C Switchable. 2. Kitchen Thermometer with 5.8" super long, food grade 18/8 stainless steel):13291:
113	Gujiya Mold	4	Medium size SS mold	

114	Roasting Tray SS large 16"x14" capacity 3 lt, weight- 1.5kg	2	SS large 16"x14" capacity 3 lt, weight- 1.5kg	
115	Parats Brass 24" dia	1	Specification Details of Brass Parat: Diameter 24 Inches, Height 3.5 inches, weight 2.5kg	
116	Parats Brass 20" dia	1	Specification Details of Brass Parat: Diameter 20 Inches, Height 3.5 inches, weight 2kg	40k
117	Plastic storage Tray with lid 1Kg	10	Freezer Safe, Food Grade airtight container	
118	Plastic storag 1/2Kg capacity	10	Freezer Safe, Food Grade airtight container	

119	SS storage Boxes 10 kg	2	Made from high grade steel Tough, Durable and Strong build Easy to clean, Dishwasher safe Material: SSLN1: Stainless Steel heavy gauge	
120	SS storage Boxes 20kg	1	Made from high grade steel Tough, Durable and Strong build Easy to clean, Dishwasher safe Material: SSLN1 : Stainless Steel heavy gauge	
121	Modak Mold	4	Medium size SS mold	
122	Big Iron Tawa for Chaat/Dum Minimum	1	weight-3kg,Pure Iron White Large Size Heavy Weight 12 MM Aloo tikki tawa bhalla tawa 2 inch deep (Large 30 inch)	
123	Tandoor Jodi	2	satainless steel	
124	Mixing bowl 8"	_	Capacity 1 Item Weight 650 Material Stainless Steel heavy gauge	Ducareter - 18 cm

125	Mixing bowl 10" with lid	6	Capacity 1.5 litres Item Weight 720 g Material Stainless Steel heavy gauge	Diameter - 18-cm
126	Gamla SS 16"	5	Stainless Steel Basin 22 Gauge – , Weight: 1.2kg, Capacity 4 Litre	
127	Gamla SS 14"	5	Stainless Steel Basin 22 Gauge -Weight: 1kg, Capacity 3 Litre	
128	Sieve (Big)	2	16inch stain less steel	
129	Katori SS	24	Made from high grade steel Tough, Durable and Strong build Easy to clean, Dishwasher safe Material: SSLN1: Stainless Steel heavy gauge Low Nickel 1% Capacity of each katori 200 ml,	

130	Appam Pan	4	1. Pressure Die-cast Technology 2. Twelve Cups for twelve bites 3. PFOA Free German 3-coat Nonstick inside - lasts longer. 4. Integrated Bracket 5. Stay-cool Handle 6. Diameter 22 cm 7. Glass Lid	
131	Hamam Dasta Big	1	pure iron imam dasta (khallad musli) set large size 5x8 inchs khallad musli 12 inchs	
132	Ghewar Ring	2	Iron Ghewar Ring 6-8"	
133	Jalebi Kadai	1	SS 18" jalebi kadai, 5mm thick, resistant to rust,10kg,	
134	Lagan (Medium) 16**	2	Copper Hammered Dum Biryani Lagaan Handi for Cooking & Serving with Tin Lined, 16", Round, Heavy Duty, 11 Liters Diameter - 16 Inch (40.5 cm) x Height - 5.2 Inch (13 cm) Capacity - 11 Liter's Weight - 6.2 Kgs - 6.7 Kgs (Without Lid)	

135	Lagan (Big) 20''	2	Copper Hammered Dum Biryani Lagan or Vessel with Tin Lined for Cooking, 20" Round, 20L, Heavy Duty Diameter - 20 Inch (51 cm) x Height - 6.4 Inch (16 cm) Capacity - 20 Liter's Weight - 10 Kgs (Without Lid)	
136	Tawa With handle	2	Hard Anodised Aluminium - tough and durable, will not pit, tarnish or corrode Handle MaterialStainless Steel Item Weight1.13 kg Item Dimensions LxWxH38.1 x 27.9 x 7.6 Centimeters	
137	Roomali Roti Kadhai tawa	1	Iron Roomali Roti Tava or Rumali Roti Tawa, Round, 16" Diameter Expertly crafted with iron, this 16" Round Roomali Roti Tava is perfect for making traditional Rumali Roti. Whether on a gas range, stove, or tandoor, create authentic and delicious rotis anytime.	
138	Tadka pan Small	1	Made from high-quality stainless steel The ergonomic handle stays cool on the stovetop, ensuring a safe and comfortable grip Width -12.6 x 33 x 5.3 Centimeters or Weight - 370gms	Length 33.0 cm 3.3 cm 3.2 cm 3.2 cm 3.2 cm 3.2 cm 3.3 cm 3.3 cm 3.3 cm 3.3 cm 3.3 cm 3.3 cm 3.3 cm 3.3 cm 3.3 cm 3.3 cm 3.3 cm 3.3 cm 3.3 cm 3.3
139	Tadka pan Big	1	Made from high-quality stainless steel The ergonomic handle stays cool on the stovetop, ensuring a safe and comfortable grip Width - 14cm, Length - 35cm, Height - 5.5cm or Weight - 420gms	

140	Brass Thali set 12''	4	12" brass Thali with 4 assorted brass katori, brass Glass,brass spoon, total weight 1.5kg	
141	Pressure Cooker 10ltr	3	Capacity10 litres Material - SS, 18Cr/8Ni AISI 304 Food-grade ,Extra-thick sandwich bottom Special Feature Gas Stove and induction top Compatible Product Dimensions 45.7D x 25.6W x 29.1H Centimeters tem Weight3 kg 3.900 g, Common Brand: Hawkings, Prestige, Vinod	Hawkins
142	Pressure Cooker (5 ltr.)	1	Capacity 5 litres, Material - SS, 18Cr/8Ni AISI 304 Food-grade ,Extra-thick sandwich bottom Product Dimensions41.6D x 20.9W x 23.1H Centimeters Special Feature Gas Stove and induction top Compatible Item Weight2.3 Kilograms, Common Brand: Hawkings, Prestige, Vinod	Hawkin
143	Grater Box	3	Shape Rectangular Item Weight 410 g Item Dimensions LxWxH30 x 11.4 x 7.4 Centimeters Material Stainless Steel	
144	Sil-Batta	1	14" Length, 9.5" Breadth, 2.5" thickness, sand stone chittar stone	

145	Lime Squeezer	2	ITEM DIMENSIONS Height269 mm Length85 mm Width40 mm	
146	Rolling Pin Small	2	MaterialWood ColourBROWN Product Dimensions10L x 10W Centimeters Item Weight400 Grams	
147	Rolling Pin Big	2	MaterialWood ColourBROWN Product Dimensions36.8L x 3.2W Centimeters Item Weight530 Grams	
148	Grater	12	MATERIAL: Stainless Steel DIMENSION: 21 cm x 8 cm x 6 cm tem Weight200 Grams	
149	Small Whisk,	12	The whisk including 6 wires, and each wire is about 1.6mm The stainless steel egg wire	

150	Beater	12	stainless Steel Egg Beater Spring Egg Whisker hand Blender	
151	Round Spoon laddle(L)	24	1Ergonomically constructed using high quality stainless steel 304 heavy gauge having wooden handle for Bulk Kitchen, 2MM thikness 2Food Grade 3Dish washer Safe 4Features a hole on the handle to hang 5Smooth and sturdy construction, will last for many years to come.1. Made from high-quality stainless steel, ensuring durability and resistance to corrosion. 6. size- 14x 2inch, weight-200gm	
152	Flat Spoon laddle	12	Ergonomically constructed using high quality stainless steel 304 heavy gauge having wooden handle for Bulk Kitchen, 2MM thikness Food Grade Dish washer Safe Features a hole on the handle to hang Smooth and sturdy construction, will last for many years to come. Prepare your food effortlessly Flat Ladle, Size- 14x2inch, weight- 200gm	
153	Fish Slicer	12	Material: high quality stainless steel 304 heavy gauge Thumb Guard: No Type: utensil with a wide, flat blade with holes in it used for lifting and turning food while cooking size- 40x6cm, weight-150gm	
154	Perforated round spoon (Frying spoon)	12	high quality stainless steel 304 heavy gauge, Steel Skimmers, Steel Jharni, Size 37.5cm. Weight 150gm	

155	Soup Strainer S.S.	12	MaterialStainless Steel Coloursilver Product Dimensions 35L x 16.5W x 7H Centimeters Dia 15inch		
156	Rolling Pin (Wooden) Small	12	MaterialWood ColourBROWN Product Dimensions10L x 10W Centimeters Item Weight400 Grams		
157	Chopping Board Heavy weight 2.5kg min (synthetic),17.5x11.5, White colour	12	Heavy weight 2.5kg min (synthetic),17.5x11.5, White colour		
158	Tongs	12	Dimention: Length:10.6 ,width:0.9 ,Hieght:1.5 Inches weight: 200gm		
159	Palette Knife (Small)	12	high quality stainless steel 8 inch palette with handle	ON-VIOLANCE PO	

160	Steak Hammer	2	Product Dimensions: 24.3cm X 6.1cm X 2cm Weight : 292g Aluminum Metal Meat Tenderizer Hammer. Two Sides Smashing Press	
161	Wooden Spoon	12	wooden non stick flat spoon, Size-30x5cm	
162	Measuring Jug Plastic, 1 ltr	2	ColourTransparent MaterialPlastic Capacity1000 Milliliters Item dimensions L x W x H18 x 11 x 11 Centimeters	K Truckit
163	Measuring Jug Plastic, ½ ltr	2	ColourTransparent MaterialPlastic Capacity500 Milliliters Item dimensions L x W x H12.5 x 10 x 10 Cm	K TrueKit
164	Egg Slicer	2	Egg Slicer 2-in-1, Steel Body and Stainless Steel Blade Boiled Egg Slicer Cutter Dimension : 15cm x 8cm Weight 50 g	15cm

Piping bag/Nozzle	4	14, 12, 12, 5, 2, Bag length – 28 x 14 cm – Conical Bag made of canvas cotton with inner	
Lime Squeezer	12	Length85 mm	
Potato Masher S.S. Heavy	4	Color Silver Material Stainless Steel SS Grade 304 Thickness: 18mm Size: 10inch	
S.S. Bhagona/Patila	12	S.S. Bhagona/Patila with Lid and copper thick sandwich bottom-12", Weight- 2.6kg Min, Induction compatable	
S.S Bhagona/Patila	12	S.S Bhagona/Patila with with lid and thick copper sandwich bottom -10" Weight- 2kg Min,Induction compatable	
	Lime Squeezer Potato Masher S.S. Heavy S.S. Bhagona/Patila	Piping bag/Nozzle Lime Squeezer 12 Potato Masher S.S. Heavy 4 S.S. Bhagona/Patila 12	Deptition laminated Long life & easy to wash & use TEM DIMENSIONS

170	S.S. Bhagona/Patila	12	S.S. Bhagona/Patila with Lid and copper thick sandwich bottom -08" Weight-1.8kg Min,Induction compatable	
171	Thal SS Tray	12	SS Tray with collar-16" dia, 500gm, Item Weight454 g	
172	SS Sauce pans	12	1. S.S copper base thick sandwich bottom lid and heavy base , Product Dimension : Length 20cm, Diameter 36 cm, Height 14cm, Weight 1.2Kg 2. stainless steel lid with handle to keep the food hot for long hours	
173	SS Frying pans with	12	s.s copper base thick sandwich bottom lid and heavy base 10"dia Special FeatureNon Stick, Includes Lid ColourBlack Capacity1.5 litres Compatible Devices Gas and induction Oven Handle MaterialPlastic Item Weight1350 Grams	16.5 in 16.5 in 16.5 in 16.5 in 16.5 in 16.5 in 16.5 in
174	SS Kadai with copper thick sandwich bottom lid	12	Product Dimension: Length 37 cm, Diameter 30 cm, Height 9 cm, Weight 1.4 Kg Stainless steel copper base thik Sandwich Bottom Kadhai with lid for safe and versatile cooking, Compatible Devices Gas and induction Oven	

175	Omelets Non stick pan 08" dia	3	Material: Non-stick Aluminium Fry Pan; Base type: Induction Base; Glass lid, Base thickness (in mm): 2.8 Diameter: 20 cm	
176	Omelets Non stick pan 10" dia	3	Material: Non-stick Aluminium Fry Pan; Base type: Induction Base; Glass lid, Diameter (cm):24 Thickness (mm):3.25 Carton dimensions (WxDxH):426 x 293 x 74 mm Product weight in carton:1.22 kg	
177	SS Braising pan with Lid	2	MaterialStainless Steel Finish TypeTri ply ColourSilver Capacity8.3 litres Product Dimensions37D x 29W x 17.5H Centimeters Item Weight3.63 Kilograms	
178	Tawa with handle Small	12	Hard Anodised Aluminium - tough and durable, will not pit, tarnish or corrode Handle Material Stainless Steel Item Weight 1.13 kg Item Dimensions LxWxH38.1 x 27.9 x 7.6 Centimeters	
179	Colander S.S. 08" base	12	Stainless Steel Colander/Strainer 2750ml 8" Base, Weight: 0.280 Kgs Capacity: 2750 ml Finishing: Inside & Outside Mirror Finish	

180	Stock pot(20 Ltrs)S.S. with handle	2	1. Heay duty 3-ply Encapusulated Construction high quality stainless steel 304 heavy gauge 2. Mirror / Satin Finish 3. Heavy duty Handle 4. Folded Handle 5. Non-Stick Fry Pan Riveted Handles 6. Capacity: 20tr. 6. Dimension: 300mm x 2860mm x 0.8/5/0.8mm(thickness)		
181	Soup Ladle S.S.		stainless steel, size- 34cm with firm grip handle Reinforced polyamide plastic, Silicone rubber		
182	Oven tray S.S. with collar	12	stain less steel Food Pan 20"12"4, Weight- 500gm Min		
183	Baking tray	12	Stainless steel high quality stainless steel 304 heavy gauge, size-18x13x2 inch,		
184	Meat thermometer	1	Fast read meat thermometer features a 5-6 seconds response time and high accuracy of ± 1 °F/°C. Temperature Range -58°F \sim +572°F(-50°C \sim 300°C). °F/°C , Kitchen Thermometer with 5.8" super long, food grade 18/8 stainless steel,1. Switchable.):12231:)	

185	Conical Strainer S.S.	2	size-43 x 24 x 21 Cm, weight-472 g, high quality stainless steel	
186	Katori	34	Made from high grade steel Tough, Durable and Strong build Easy to clean, Dishwasher safe Material: SSLN1: Stainless Steel heavy gauge Low Nickel 1% Capacity of each katori 100 ml,	
187	Mixing bowl	34	10" Capacity 1.5 litres Item Weight 720 g Material Stainless Steel heavy gauge	
188	Pressure cooker	1	Capacity 5 litres, Material - SS, 18Cr/8Ni AISI 304 Food-grade ,Extra-thick sandwich bottom Product Dimensions 41.6D x 20.9W x 23.1H Centimeters Special Feature Gas Stove and induction top Compatible Item Weight 2.3 Kilograms, Common Brand: Hawkings, Prestige, Vinod	Hawkin
189	Pressure cooker	1	Capacity 10 litres Material - SS, 18Cr/8Ni AISI 304 Food-grade ,Extra-thick sandwich bottom Special Feature Gas Stove and induction top Compatible Product Dimensions 45.7D x 25.6W x 29.1H Centimeters tem Weight 3 kg 3.900 g, Common Brand: Hawkings, Prestige, Vinod	Hawking

190	Thali	17	22 Gauge Stainless Steel Traditional Dinner Plate/Thali 28 Cm with collar	
191	Tin Opener	1	Multipurpose Manual Can Opener and Bottle Opener, Tin Cutter with Smooth Edge Comfortable & Anti Slip Hand Grip (Tin/Bottle/Can Opener), 140 gm	
192	Sieve	6	12 inch stainless steelHigh quality Sieve mesh made of stainless steel wires-leave no after smells after filtration. Durable Build, Easy To Clean.to strain flour, maida, masala, peas flour, and more Product Dimensions: Holder: 22 cm, Sieve: 21 cm each Item Weight 116 Grams, Holder: 58 gm, Sieve: 58 gm	
193	Blow Torch	1	Flambe tourch and Can be used for Processing, Drying, Camping, Grilling Seafood, Melting, Toasting Breads, Make Fire, weight-200gm	
194	Panini press Griller	1	Wattage: 2200W Panini maker With Stainless steel decoration With cool touch handle Fixed Nonstick coating plate Plate Size: 29x24.5 CM With thermostat control to adjust temperature With oil collection tray Power & Ready light indicators 180 degree open Unit Size 34x31.5x14.6 CM Warranty 1 year	3

195	Baking trays large 22"x14"x2" MS	12	size-22"x14"x2" MS heavy gauge	
196	Baking trays small 11"x6"x2" MS	12	Size- 11"x6"x2" MS, heavy Gauge	
197	Bread tin (400gms)	12	non stick high quality food grade material (provides fast and even heat distribution) with lid, 8x4x3.5inch	
198	Cake tin round various sizes: (7" dia/9" dia/11" dia)	12	Aluminum- round various sizes: (7" dia/9" dia/11" dia)	DDIAME
199	Underline tray	12	stain less steel Pan 20"12"4, Weight- 500gm Min	

200	Cake tin Rectangular:	15	Aluminum Rectangular: (5"x5"/7"x7"/9"x9"/11"x11"/14 ½"x141/2) 3 pieces of all the size	
201	Barquette mould 3" length	12	This fluted boat-shaped stainless steel mould is great for making an assortment of fruit tartlets. Sold individually Size: 3 " Dimensions: 3 "L \times $1\frac{1}{4}$ "W	
202	Small whisk SS	12	The whisk including 6 wires, and each wire is about 1.6mm The stainless steel egg wire	50.3
203	Tartlet mould oven proof	12	Stainless steel	
204	Savarin mould oven proof	12	Aluminum	

205	Muffin trays oven proof	12	Aluminum	666
206	Brioche mould oven proof	12	Stainless stee	
207	Fancy mould assorted oven proof	12	Silicone Stainless stee	
208	Doughnut cutter SS	4	Dimension Width3.5 inch Height3 inch Weight Net Weight95 grms Gross Weight150 grms MaterialStainless Steel	
209	Vol-au-vent cutter	2	Stainless stee	

210	Quiche mould	12	Aluminum	
211	chocolate mould assorted	12	Silicone	
212	Lemon squeezer	6	Finish TypeStainless steel Product Care InstructionsHand Wash Only Blade MaterialStainless Steel Item Weight180 g Item Dimensions LxWxH20.5 x 6.6 x 3.5 Centimeters	The Law
213	Can opener Heavy duty	2	Stainless steel Multipurpose Manual Can Opener and Bottle Opener, Tin Cutter with Smooth Edge Comfortable & Anti Slip Hand Grip (Tin/Bottle/Can Opener), 140 gm	
214	Small brass Kadai 6" dia (Induction Based)	6	MaterialBrass 6" dia (Induction Based) Special FeatureNon Stick, Gas Stovetop Compatible, Induction Stovetop Compatible, Includes Lid ColourGold Capacity3600 Milliliters Product Care InstructionsHand Wash Only Item Weight1780 Grams	

215	Round ladle SS	12	Useful: A Versatile serving ladle set, perfect for sauces, gravies and soups. Ideal 1 cup size for precise serving and basting in various culinary applications. Material: Made from high-quality stainless steel, ensuring durability and resistance to corrosion. Easy to clean: VINOD Stainless Steel ladles are easy to clean, resistant to stains and odors. Dishwasher Safe. Package Content: Set of 2 Stainless Steel Serving Ladles, Size 34cm., weight - 178 gm	Work I wond the state of the st	
216	Grater	6	MATERIAL: Stainless Steel DIMENSION: 21 cm x 8 cm x 6 cm tem Weight200 Grams		
217	Sauté pan (small) SS (Induction Based)	12	Layer 1 – Food Grade 18/8 stainless steel used in the inner surface for healthy cooking. Layer 2 – Encapsulated layer of 1.8 mm thick aluminum throughtout the cookware includeing the bottom and the body. Layer 3 – SS 430 Magnetic stainless steel used as the 3rd layer, making the cookware induction-friendly. Energy efficiency & Quick, Uniform Heat Distribution, Induction Friendly.Product Dimension: Length 39 cm, Diameter 23 cm, Height 5 cm, Weight 0.8 Kg		
218	Sauté pan (medium) SS (Induction Based)	3	Layer 1 – Food Grade 18/8 stainless steel used in the inner surface for healthy cooking. Layer 2 – Encapsulated layer of 1.8 mm thick aluminum throughtout the cookware includeing the bottom and the body. Layer 3 – SS 430 Magnetic stainless steel used as the 3rd layer, making the cookware induction-friendly. Energy efficiency & Quick, Uniform Heat Distribution, Induction Friendly. Product Dimensions: 62 cm Round Diameter, 42 cm Length, 5 cm Height, Weight 1.3 Kg(aprox)		
219	SS Measuring jug	12	Material Stainless Steel Colour Silver Capacity 907 g Special Feature Dishwasher Safe Style Modern Shape Round Item Weight0.8 Pounds		

220	Knives all purpose	3	S" Chef knife, High Carbon Stainless Steel blade	* PATHE SECOND	
221	Croquem bouche cone	1	Stainless stee		
222	Large cast iron halwai Kadai	1	Material Wrought And Cast Iron Special FeatureNon Stick, Gas Stovetop Compatible Compatible DevicesGas Item Dimensions LxWxH12x8x12inch, weight-3.5kg		
223	Large frying spoon	1	304 Stainless Steel Frying Spoon Size-L- 13 inch X 5.2 inch		
224	Long handled wooden spoon	3	The length of this mixing spoon is 16.5inch/42cm Item Weight74 Grams	BEKNZIN 400/065 M	

225	Jalebi Tawa(kadai)	1	Cast iron 18" jalebi kadai, 3mm thick, resistant to rust	
226	SS bowl (small) 8" dia	12	Made from high grade steel Tough, Durable and Strong build Easy to clean, Dishwasher safe Material: SSLN1 : Stainless Steel Low Nickel 1% Diameter – 8inch	9 cm - Round Diameter 3.2 cm Repair Capacity: 130 ml
227	SS bowl (small) 5" dia	12	Made from high grade steel Tough, Durable and Strong build Easy to clean, Dishwasher safe Material: SSLN1 : Stainless Steel Low Nickel 1% Diameter – 5 inch	
228	SS bowl (large) 12" dia	12	Made from high grade steel Tough, Durable and Strong build Easy to clean, Dishwasher safe Material: SSLN1 : Stainless Steel Low Nickel 1% Diameter – 12 inch	
229	SS Parats 18" dia	12	Made from Highest grade Steel Tough and Strong Build Easy to Clean Item Weight 300 g Product Dimension : Diameter 18 inchx2.3inch	

230	SS Mug	12	Stainless Steel , Capacity- 300 ML , Item Weight 300 g Dimensions- 7.5x7.5x8.5 cm	
231	Rolling pin wooden (with bearing)	12	Stainless Steel Ball Bearing, Classic Wooden Rolling Pin, Item Weight 680 g Item Dimensions LxWxH51.4 x 7 x 7 Centimeters	
232	Egg beater	1	stainless Steel Egg Beater Spring Egg Whisker hand Blender	
233	Wooden spoon	12	wooden non stick flat spoon, Size-30x5cm	
234	Plastic scraper	12	Size: 4.72" x 3.74" (12 x 9.5cm); Color: White, Green Made of food grade PP plastic to ensure your health, durable, non-toxic, reusable, safe to use, dishwasher safe	

235	SS degchi with flat bottom 12" dia	6	S.S. Bhagona/Patila with Lid and copper thick sandwich bottom-12", Weight- 2.6kg Min, Induction Quality: Mirror finish, Easy to clean and maintain Useful: Ideal for boiling milk or water and making tea or coffee. Can also be used to make dals, curries, and soups and so on.	
236	Comb for decoration	3	bakers comb plastic	
237	SS strainer		Stainless Steel Tea Strainer Chalni, Dia: 12 cm Item Weight: 400 Grams	
238	SS sieve (full set)	,	High quality Sieve mesh made of stainless steel wires-leave no after smells after filtration. Durable Build, Easy To Clean.to strain flour, maida, masala, peas flour, and more Product Dimensions: Holder: 22 cm, Sieve: 21 cm each Item Weight300 Grams, Holder: 58 gm, Sieve: 58 gm, 60 gm, 61 gm, 63 gm	
239	Cake decorating stand turn table	2	360° Rotating Stainless Steel Cake Turntable (12 Inch) - Heavy, height 7inch	

240	Silpat	1	4" Length, 9.5" Breadth, 2.5" thickness, sand stone chittar stone	
241	Sugar thermometer	1	Digital thermometer with stainless steel sensor probe Accurate Measurement Results: It only takes a few seconds, the LCD screen displays the precise temperature results. Automatic Shut Off: Shut Off Automatically After 10 minutes (battery included). High Quelity: made of high quelity stainless steel and protected with a with silicone, this thermometer is perfect for indoor or outdoor activity.	THE STATE OF THE S
242	Chopping board(Synthetic)	1	Material Syntheticf Heavy weight 2.5kg min (synthetic),17.5x11.5, White colour	
243	Compartmental trays (Thalis)	75	high-quality food grade Stainless steel Plate with 5 compartments. rectangle compartment plates: L X W X H: 37.4 X 29.2 X 3(cm); Capacity: 1.5ltr; Weight: 520gms(each)	Coperity 1 100 ml
244	SS Water tumbler	75	SS Drinking glasses, Height 11.8cm Capacity: 350 ml Weight: 100 gms, flat base.	

245	SS Water jugs	10	Steel Cut Design Plain Jug, Material: stainless steel 304 heavy gauge 2. Mirror / Satin Finishl, Color:Silver, Weight (Gram): 780, Volume (ML): 1500, Height (cm): 27, Width (cm): 10.5		
246	Waste Bin	6	Dustbin 120 Liter Big dustbin extra large size Dustbin with wheels Outdoor garbage with lid (Green), High Density Polyethylene, Plastic, Common Brand: Nilkamal, Aristo, Nayasa	HILISTIAN SOLUTION OF THE PARTY	

Note:

- 1 Common brand for stainless steel items, Plastics and other kitchen ware Vinod, Sumeet, Pigeon, Borosil, Cello, Tupperware, wonderchef.
- 2 Food Craft Institute Deoghar name to be engraved on steel utensils and items.